## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: Lupus

Supplier's address: Utveckling, Tallbacksgatan 11R, 19572 Rosersberg, SE

Model identifier: LM4-LUP2-57K9

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	2-pin connector		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	Nej
Colour-tuneable light source:	Nej	Envelope:	-
High luminance light source:	Ja		
Anti-glare shield:	Nej	Dimmable:	Only with specific dimmers

## Product parameters

Parameter		Value	Parameter	Value		
General product parameters:						
Energy consum mode (kWh/100 up to the nearest	0 h), rounded	8	Energy efficiency class	E		
Useful luminous indicating if it ref in a sphere (360 cone (120º) or in (90º)	fers to the flux Dº), in a wide	920 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	5 700		
On-mode po expressed in W	ower (P <sub>on</sub> ),	7,7	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
Networked stand for CLS, express rounded to the se	ed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	90		
	Height	8	Spectral power	See image		
dimensions	Width	250	distribution in the	in last page		

without Depth separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	12	range 250 nm to 800 nm, at full-load				
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity	0,329			
		coordinates (x and y)	0,342			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	50	Survival factor	1,00			
the lumen maintenance factor	0,98					

(a)'-' : not applicable;

(b)'-' : not applicable;

